ESTUARINE AND COASTAL MARINE SCIENCE

Volume 5
1977

ACADEMIC PRESS
London and New York

Published by Academic Press Inc. (London) Ltd in association with the Estuarine and Brackish Water Sciences Association

Copyright © 1977, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 5

Number 1, January 1977

Page

Wolff, W. J. and de Wolf, L., Biomass and production of zoobenthos in the Grevelingen estuary, The Netherlands 1

Mei, C. C. and Liu, P. L-F., Effects of topography on the circulation in and near the surf zone—linear theory 25

Zedler, J. B., Salt marsh community structure in the Tijuana estuary, California . 39

Dawson, R. and Riley, J. P., Chlorine-containing pesticides and polychlorinated biphenyls in British coastal waters 55

Evans, D. W., Cutshall, N. H., Cross, F. A. and Wolfe, D. A., Manganese cycling in the Newport River estuary, North Carolina 71

Duedall, I. W., O'Connors, H. B., Parker, J. H., Wilson, R. E. and Robbins, A. S., The abundances, distribution and flux of nutrients and chlorophyll *a* in the New York Bight apex 81

Edwards, R. R. C., Field experiments on growth and mortality of *Penaeus vannamei* in a Mexican coastal lagoon complex 107

Gable, M. F. and Croker, R. A., The salt marsh amphipod, *Gammarus palustris* Bousfield, 1969 at the northern limit of its distribution. 1. Ecology and life cycle. 123

Notes and Discussion

Carmack, E. C. and Aagaard, K., A note on volumetric considerations of upwelling in the Benguela Current 135

Nakas, J. P. and Litchfield, C. D., Application of the diacetyl-monoxine thiosemicarbazide method to the analysis of urea in estuarine sediments . . 143

Book Reviews 151

Number 2, March 1977

Page

Keyword List i

Malone, T. C., Environmental regulation of phytoplankton productivity in the Lower Hudson estuary 157

Ho, C. L. and Barrett, B. B., Distribution of nutrients in Louisiana's coastal waters influenced by the Mississippi River 173

BOWEN, A. J. and PINLESS, S. J., The response of an estuary to the closure of a mobile barrier: Richmond Barrier on the upper Thames Estuary . . . 197

WILSON, D. P., The stability during many years of the mid-tidal shore at Penrhyn Bay, North Wales, and a note on the peat beds at Rhos-on-Sea . . 209

WILSON, D. P., *Modiolus modiolus* (L.) in small mid-tidal rock pools at Penrhyn Bay, North Wales 215

EVANS, F., Seasonal density and production estimates of the commoner planktonic copepods of Northumberland coastal waters 223

ASTON, S. R. and HEWITT, C. N., Phosphorus and carbon distributions in a polluted coastal environment 243

RISTICH, S. S., CRANDALL, M. and FORTIER, J., Benthic and epibenthic macro-invertebrates of the Hudson River. I. Distribution, natural history and community structure 255

WARWICK, R. M. and DAVIES, J. R., The distribution of sublittoral macrofauna communities in the Bristol Channel in relation to the substrate . . . 267

NOTES AND DISCUSSIONS

CHENG, L. and BIDLEMAN, T. F., Chlorinated hydrocarbons in marine insects . 289

NUMBER 3, MAY 1977

Page

TYLER, P. A. and BANNER, F. T., The effect of coastal hydrodynamics on the echinoderm distribution in the sublittoral of Oxwich Bay, Bristol Channel . . 293

BROWN, M., Transmission spectroscopy examinations of natural waters. C. Ultraviolet spectral characteristics of the transition from terrestrial humus to marine yellow substance 309

MURRAY, C. N. and KAUTSKY, H., Plutonium and americium activities in the North Sea and German coastal regions 319

KULLENBERG, G., Entrainment velocity in natural stratified vertical shear flow . 329

JAMES, I. D., A model of the annual cycle of temperature in a frontal region of the Celtic Sea 339

HILLMAN, R. E., DAVIS, N. W. and WENNEMER, J., Abundance, diversity, and stability in shore-zone fish communities in an area of Long Island Sound affected by the thermal discharge of a nuclear power station 355

SKRESLET, S. and LOENG, H., Deep water renewal and associated processes in Skjomen, a fjord in North Norway 383

PINGREE, R. D. and GRIFFITHS, D. K., The bottom mixed layer on the continental shelf 399

NOTES AND DISCUSSIONS

GRIEVE, D. and FLETCHER, K., Interactions between zinc and suspended sediments in the Fraser River estuary, British Columbia 415

THOMAS, D. J. and GRILL, E. V., The effect of exchange reactions between Fraser River sediment and seawater on dissolved Cu and Zn concentrations in the Strait of Georgia 421

SHAW, D. G., CHEEK, L. M. and PAUL, A. J., Uptake and release of petroleum by intertidal sediments at Port Valdez, Alaska 429

HANSON, R. B. and GUNDERSEN, K., Relationship between nitrogen fixation (acetylene reduction) and the C : N ratio in a polluted coral reef ecosystem, Kaneohe Bay, Hawaii 437

NUMBER 4, JULY 1977

Page

AKESSON, T. R., The effect of temperature changes on the development of *Urechis caupo* Fisher and MacGinitie 1928 (Echiuroidea) 445

NELSEN, T. A., MAYER, D. A., HATCHER, P. G. and HESS, W. N., New England offshore mining environmental study: the character of particle dispersion and water movement in Massachusetts Bay and adjacent waters 455

WITHERS, R. G., Soft-shore macrobenthos along the south-west coast of Wales . 467

HASS, L. W., The effect of the spring-neap tidal cycle on the vertical salinity structure of the James, York and Rappahannock Rivers, Virginia, U.S.A. 485

GOSS-CUSTARD, J. D., KAY, D. G. and BLINDELL, R. M., The density of migratory and overwintering redshank, *Tringa totanus* (L.) and curlew, *Numenius arquata* (L.), in relation to the density of their prey in south-east England 497

SMITH, N. P., Meteorological and tidal exchanges between Corpus Christi Bay, Texas and the northwestern Gulf of Mexico 511

JOHNS, R. B., PERRY, G. J. and JACKSON, K. S., Contribution of bacterial lipids to recent marine sediments 521

BOWMAN, M. J., Nutrient distributions and transport in Long Island Sound . 531

GOLDBERG, E. D., GAMBLE, E., GRIFFIN, J. J. and KOIDE, M., Pollution history of Narragansett Bay as recorded in its sediments 549

BOOK REVIEWS 563

Number 5, September 1977

Page

Platt, T., Subba Rao, D. V. and Denman, K. L., Quantitative stimulation of phytoplankton productivity by deep water admixture in a coastal inlet . . . 567

Edwards, A. and Edelsten, D. J., Deep water renewal of Loch Etive: a three basin Scottish fjord 575

Stubblefield, W. L., Permenter, R. W. and Swift, D. J. P., Time and space variation in the surficial sediments of the New York Bight apex 597

Gunatilaka, A., Recent carbonate sedimentation in Connemara, Western Ireland . 609

Stirling, H. P. and Wormald, A. P., Phosphate/sediment interaction in Tolo and Long Harbours, Hong Kong and its role in estuarine phosphorus availability . 631

Luoma, S. N., The dynamics of biologically available mercury in a small estuary . 643

Settlemyre, J. L. and Gardner, L. R., Suspended sediment flux through a salt marsh drainage basin 653

Hoff, J. G. and Ibara, R. M., Factors affecting the seasonal abundance, composition and diversity of fishes in a southeastern New England estuary . . . 665

Notes and Discussions

Taguchi, S. and Platt, T., Assimilation of $^{14}CO_2$ in the dark compared to phytoplankton production in a small coastal inlet 679

Number 6, November 1977

Page

Platt, H. M., Ecology of free-living marine nematodes from an intertidal sandflat in Strangford Lough, Northern Ireland 685

Happ, G., Gosselink, J. G. and Day, J. W. Jr., The seasonal distribution of organic carbon in a Louisiana estuary 695

Nestler, J., Interstitial salinity as a cause of ecophenic variation in *Spartina alterniflora* 707

Harvey, J. G. and Vincent, C. E., Observations of shear in near-bed currents in the southern North Sea 715

Capuzzo, J. M., Davidson, J. A., Lawrence, S. A. and Libni, M., The differential effects of free and combined chlorine on juvenile marine fish . . . 733

Borole, D. V., Krishnaswami, S. and Somayajulu, B. L. K., Investigations on dissolved uranium, silicon and on particulate trace elements in estuaries . . 743

Hydes, D. J. and Liss, P. S., The behaviour of dissolved aluminium in estuarine and coastal waters 755

Barnes, R. S. K. and Head, S. M., Variation in paragnath number in some British populations of the estuarine polychaete *Nereis diversicolor* . . . 771

Heath, R. A., Heat balance in a small coastal inlet Pauatahanui Inlet, North Island, New Zealand 783

Farrington, J. W., Frew, N. M., Gschwend, P. M. and Tripp, B. W., Hydrocarbons in cores of northwestern Atlantic coastal and continental margin sediments 793

Grant, G. C., Seasonal distribution and abundance of the Chaetognatha in the lower Chesapeake Bay 809

Notes and Discussions

Conrad, J. E., An inexpensive apparatus for comparative meiofauna colonization experiments in low energy environments 825

Book Reviews 829

Index to Volume 5

Note: Keywords were introduced in Volume 5 number 4. Indexing of subject words in Volume 5 is therefore based partly on words in paper titles (issue numbers 1–3) and partly on keywords (issue numbers 4–6). In future Volumes only keywords will be indexed. Indexing of authors has remained unaltered.

AAGAARD, K. *see* CARMACK, E. C., 135

Abundance, diversity and stability in shore-zone fish communities in an area of Long Island Sound affected by thermal discharge of a nuclear power station, 355

— species composition, seasonal variations, maturation, temperature, Chesapeake Bay, Chaetognatha, 809

Abundances, distribution and flux of nutrients and chlorophyll *a* in the New York Bight apex, 81

Accretion, corer/box, Narragansett Bay, heavy metals, plutonium, pollution, chronology, runoff, sediment, 549

Activity of plutonium and americium in the North Sea and German coastal regions, 319

Adsorption, desorption, sediments, clay, land reclamation, Hong Kong coast, phosphates, pollution, 631

—, solubility, estuarine habitat, coastal waters, British Isles, aluminium, 755

AKESSON, T. R., The effect of temperature changes on the development of *Urechis caupo* Fisher and MacGinitie 1928 (Echiuroidea), 445

Alaska, uptake and release of petroleum by intertidal sediments at Port Valdez, 429

Algae, fauna, Ireland coast, carbonate sediments, temperate zone, grain size, tidal currents, wave environment, 609

Americium and plutonium activities in the North Sea and German coastal regions, 319

Ammonia, horizontal exchange/variations, sewage effluents, seasonal variations, Long Island, nutrient, nitrates, nitrites, 531

Amphipod, *Gammarus palustris* Bousfield 1969, at the northern limit of its distribution. I. Ecology and life cycle, 123

Annual cycle of temperature, model of, in a frontal region of the Celtic Sea, 339

Annual variations, inlets, Nova Scotia coast, phytoplankton, carbon dioxide, assimilation, diurnal variations, 679

— —, New York Bight, sediment patterns, sidescan sonar, sand waves, sewage disposal, dumping, 597

— —, South Carolina coast, salt marshes, sediment budget, suspended solids, inorganic, organic matter, tidal cycles, 653

Apparatus, meiobenthos, beach organisms, colonization, 825

Assimilation, diurnal variations, annual variations, inlets, Nova Scotia coast, phytoplankton, carbon dioxide, 679

ASTON, S. R. and HEWITT, C. N., Phosphorus and carbon distributions in a polluted coastal environment, 243

Atlantic Ocean northwest, hydrocarbons, core samples, sediment cores, coasts, continental margins, 793

Bacteria, lipids, fatty acids, chromatography, sediments, mangroves, Queensland coast, 521

Band waves, sewage disposal, dumping, annual variations, New York Bight, sediment patterns, sidescan sonar, 597

BANNER, F. T. *see* TYLER, P. A., 293

BARNES, R. S. K. and HEAD, S. M., Variation in paragnath number in some British populations of the estuarine polychaete *Nereis diversicolor*, 771

BARRET, B. B. *see* HO, C. L., 173

Beach material, grain size composition, Wales coast, macrobenthos, zonation, biomass, species composition, intertidal sand habitat, 467

— organisms, colonization, apparatus, meiobenthos, 825

Benguela Current, volumetric considerations of upwelling in, 135
Benthic and epibenthic macroinvertebrates of the Hudson River. I. Distribution, natural history and community structure, 255
BIDLEMAN, T. F. *see* CHENG, L.
Bioassays, fish poisoning, fish, chlorine, toxicity, 733
Biomass and production of zoobenthos in the Gravelingen estuary, The Netherlands, 1
—, species composition, intertidal sand habitat, beach material, grain size composition, Wales coast, macrobenthos, zonation, 467
Biphenyls, polychlorinated, and chlorine-containing pesticides in British coastal waters, 55
Birds, feeding habits, intertidal mud habitat, worms, Mollusca, crabs, England coast, 497
BLINDELL, R. M. *see* GOSS-CUSTARD, J. D., 497
Book reviews, 151, 563, 829
BOROLE, D. V., KRISHNASWAMI, S. and SOMAYAJULU, B. L. K., Investigation on dissolved uranium, silicon and on particulate trace elements in estuaries, 743
Bottom mixed layer on the continental shelf, 399
— waters, salinity variations, runoff, sill depth, currents, Scotland coast, fjords, flushing time, 575
BOWEN, A. J. and PINLESS, S. J., The response of an estuary to the closure of a mobile barrier: Richmond Barrier on the upper Thames Estuary, 197
BOWMAN, M. J., Nutrient distributions and transport in Long Island Sound, 531
Bristol Channel, distribution of sublittoral macrofauna communities in, in relation to the substrate, 267
— —, effect of coastal hydrodynamics on the echinoderm distribution in the sublittoral of Oxwich Bay, 293
British coastal waters, chlorine-containing pesticides and polychlorinated biphenyls in, 55
— Columbia, interactions between zinc and suspended sediments in the Fraser River estuary, 415
— Isles, aluminium, solubility, estuarine habitat, coastal waters, 755
Buzzards Bay, diversity index, estuarine fisheries, fish, 665

California coast, Echiuroidea, Embryos, temperature tolerance, developmental stages, laboratory culture, power stations/thermal, 445
—, Tijuana estuary, salt marsh community structure in, 39
CAPUZZO, J. M., DAVIDSON, J. A., LAWRENCE, S. A. and LIBNI, M., The differential effects of free and combined chlorine on juvenile marine fish, 733
Carbon and phosphorus distributions in a polluted coastal environment, 243
—, chlorophyll distribution, estuarine coasts, Louisiana coast, seasonal variations, dissolved organic compounds, 695
— dioxide, assimilation, diurnal variations, annual variations, inlets, Nova Scotia coast, phytoplankton, 679
Carbonate sediments, temperate zones, grain size, tidal currents, wave environments, algae, fauna, Ireland coast, 609
CARMACK, E. C. and AAGAARD, K., A note on volumetric considerations of upwelling in the Benguela Current, 135
Celtic Sea, a model of the annual cycle of temperature in a frontal region of, 339
Chaetognatha, abundance, species composition, seasonal variations, maturation, salinity, temperature, Chesapeake Bay, 809
CHEEK, D. C. *see* SHAW, D. G., 429
CHENG, L. and BIDLEMAN, T. F., Chlorinated hydrocarbons in marine insects, 289
Chesapeake Bay, Chaetognatha, abundance, species composition, seasonal variations, maturation, salinity, temperature, 809
— —, estuarine circulation, stratification, mixing processes, salinity, tidal cycles, tidal range, tidal heights, 485
Chlorinated hydrocarbons in marine insects, 289
Chlorine, toxicity, bioassays, fish poisoning, fish, 733
— -containing pesticides and polychlorinated biphenyls in British coastal waters, 55
Chlorophyll *a* and nutrients, abundances, distribution and flux, in the New York Bight apex, 81
— distribution, estuarine coasts, Louisiana coast, seasonal variations, dissolved organic compounds, carbon, 695

Chromatography, sediments, mangroves, Queensland coast, bacteria, lipids, fatty acids, 521
Chronology, runoff, sediment, accretion, corer/box, Narragansett Bay, heavy metals, plutonium pollution, 549
Circulation in and near the surf-zone—linear theory, 25
Clay, land reclamation, Hong Kong coast, phosphates, pollution, adsorption, desorption, sediments, 631
C:N ratio and nitrogen fixation in a polluted coral reef ecosystem, Kaneohe Bay, Hawaii, 437
Coastal environment, polluted, phosphorous and carbon distributions in, 243
— hydrodynamics, effect of, on the echinoderm distribution in the sublittoral of Oxwich Bay, Bristol Channel, 293
— lagoon complex, Mexican, growth and mortality of *Penaeus vannamei* in, 107
— regions, German and North Sea, plutonium and americium activities in, 319
— waters, British, chlorine-containing pesticides and polychlorinated biphenyls in, 55
— —, British Isles, aluminium, adsorption, solubility, estuarine habitat, 755
— —, Louisiana, distribution of nutrients, as influenced by the Mississippi River, 173
— —, Northumberland, seasonal density and distribution estimates of the commoner planktonic copepods of, 223
Coasts, continental margins, Atlantic Ocean northwest, hydrocarbons, core samples, sediment cores, 793
Colonization, apparatus, meiobenthos, beach organisms, 825
Communities, shore-zone fish, in an area of Long Island Sound affected by the thermal discharge of a nuclear power station, 355
—, sublittoral macrofauna, distribution of, in the Bristol Channel in relation to the substrate, 267
Community structure, distribution and natural history of the benthic and epibenthic macroinvertebrates of the Hudson River, 255
— —, in the salt marsh, Tijuana estuary, California, 39
CONRAD, J. E., An inexpensive apparatus for comparative meiofauna colonization experiments in low energy environments, 825
Continental margins, Atlantic Ocean northwest, hydrocarbons, core samples, sediment cores, coasts, 793
— shelf, bottom mixed layer on, 399
Coral reef ecosystem, polluted, Kaneohe Bay, Hawaii, relationship between nitrogen fixation and the C:N ratio in, 437
Core samples, sediment cores, coasts, continental margins, Atlantic Ocean northwest, hydrocarbons, 793
Corer/box, Narragansett Bay, heavy metals, plutonium, pollution, chronology, runoff, sediment, accretion, 549
Corpus Christi Bay, wind stress, geostrophic winds, surface winds, pressure gradients, Ekman layers, tidal variations, spectral density, 511
Copepods, commoner planktonic, of Northumberland coastal waters, seasonal density and production estimates of, 223
Crabs, England coast, birds, feeding habits, intertidal mud habitat, worms, Mollusca, 497
CRANDALL, M. *see* RISTICH, S. S., 255
CROKER, R. A. *see* GABLE, M. F., 123
CROSS, F. A. *see* EVANS, D. W., 71
Cu and Zn concentrations in the Strait of Georgia, effect of exchange reactions between Fraser River sediment on dissolved, 421
Current meters, drogues, temperature profiles, salinity, Massachusetts coast, dredge spoil, dispersion experiment, 455
Currents, Scotland coast, fjords, flushing time, bottom waters, salinity variations, runoff, sill depth, 575
CUTSHALL, N. H. *see* EVANS, D. W., 71
Cycling, manganese, in the Newport River estuary, North Carolina, 71

DAVIDSON, J. A. *see* CAPUZZO, J. M., 733
DAVIES, J. R. *see* WARWICK, R. M., 267
DAVIS, N. W. *see* HILLMAN, R. E., 355

Dawson, R. and Riley, J. P., Chlorine-containing pesticides and polychlorinated biphenyls in British coastal waters, 55
Day, J. W. Jr. *see* Happ, G., 695
de Wolf, L. *see* Wolff, W. J., 1
Deep water renewal and associated processes in Skjomen, a fjord in north Norway, 383
Denman, K. L. *see* Platt, T., 567
Desorption, adsorption, solubility, estuarine habitat, coastal waters, British Isles, 755
—, estuaries, India coast, uranium, silicon, trace elements, 743
—, sediments, clay, land reclamation, Hong Kong coast, phosphates, pollution, adsorption, 631
Developmental stages, laboratory culture, power stations/thermal, California coast, Echiuroidea, embryos, temperature tolerance, 445
Diacetyl-monoxine thiosemicarbazide method applied to the analysis of urea in estuarine sediments, 143
Dispersion, experiment, current meters, drogues, temperature profiles, salinity, Massachusetts coast, dredge spoil, 455
Dissolved Cu and Zn concentrations in the Strait of Georgia, effect of exchange reactions between Fraser River sediment and seawater on, 421
— organic compounds, carbon, chlorophyll distribution, estuarine coasts, Louisiana coast, seasonal variations, 695
Distribution, abundances, and flux of nutrients and chlorophyll *a* in the New York Bight apex, 81
—, echinoderm, in the sublittoral of Oxwich Bay, Bristol Channel, effect of coastal hydrodynamics on, 293
—, natural history and community structure of the benthic and epibenthic macroinvertebrates of the Hudson River, 255
— of nutrients in Louisiana's coastal waters influenced by the Mississipi River, 173
— of sublittoral macrofauna communities in the Bristol Channel in relation to the substrate, 267
Distributions of carbon and phosphorous in a polluted coastal environment, 243
Diurnal variations, annual variations, inlets, Nova Scotia coast, phytoplankton, carbon dioxide, assimilation, 679
Diversity index, estuarine fisheries, fish, Buzzards Bay, 665
—, stability and abundance in shore-zone fish communities in an area of Long Island Sound affected by the thermal discharge of a nuclear power station, 355
Drag coefficients, shear, tidal currents, North Sea, 715
Dredge spoil, dispersion, experiment, current meters, drogues, temperature profiles, salinity, Massachusetts coast, 455
Drogues, temperature profiles, salinity, Massachusetts coast, dredge spoil, dispersion, experiment, current meters, 455
Duedall, I. W., O'Connors, H. B., Parker, J. H., Wilson, R. E. and Robbins, A. S., The abundances, distribution and flux of nutrients and chlorophyll *a* in the New York Bight apex, 81
Dumping, annual variations, New York Bight, sediment patterns, sidescan sonar, sand waves, sewage disposal, 597

Echinoderm distribution in the sublittoral of Oxwich Bay, Bristol Channel, effect of coastal hydrodynamics on, 293
Echiuroidea, embryos, temperature tolerance, developmental stages, laboratory culture, power stations/thermal, California coast, 445
Ecology and life cycle of *Gammarus palustris* Bousfield 1969 at the northern limit of its distribution, 123
—, meiobenthos, intertidal sand habitat, Ireland coast, Nematoda, 685
Ecosystem, polluted coral reef, Kaneohe Bay, Hawaii, relationship between nitrogen fixation and the C:N ratio in, 437
Edelsten, D. J. *see* Edwards, A., 575
Edwards, A. and Edelsten, D. J., Deep water renewal of Loch Etive: a three basin Scottish fjord, 575
Edwards, R. R. C., Field experiments on growth and mortality of *Penaeus vannamei* in a Mexican coastal lagoon complex, 107
Ekman layers, tidal variations, spectral density, Corpus Christi Bay, wind stress, geostrophic winds, pressure gradients, 511

Embryos, temperature tolerance, developmental stages, laboratory culture, power stations/thermal, California coast, Echiuroidea, 445
England coast, birds, feeding habits, intertidal mud habitat, worms, Mollusca, crabs, 497
Entrainment velocity in natural stratified vertical shear flow, 329
Environment, polluted coastal, phosphorous and carbon distributions in, 243
Environmental regulation of phytoplankton productivity in the Lower Hudson estuary, 157
Epibenthic and benthic macroinvertebrates of the Hudson River. I. Distribution, natural history and community structure, 255
Estuaries, India coast, uranium, silicon, trace elements, desorption, 743
Estuarine circulation, stratification, mixing processes, salinity, tidal cycles, tidal range, tidal heights, Chesapeake Bay, 485
— coasts, Louisiana coast, seasonal variations, dissolved organic compounds, carbon, chlorophyll distribution, 695
— fauna, uptake, Polychaeta, Palaemonidae, seasonal variation, runoff, Hawaii coast, mercury, 643
— fisheries, fish, Buzzards Bay, diversity index, 665
— habitat, Polychaeta, taxonomy, population variations, morphology, 771
— —, coastal waters, British Isles, aluminium, adsorption, solubility, 755
— sediments, method for the analysis of urea in, 143
Estuary, Fraser River, British Columbia, interactions between zinc and suspended sediments in, 415
—, Lower Hudson, environmental regulation of phytoplankton productivity in, 157
—, Newport River, North Carolina, manganese cycling in, 71
—, response of, to the closure of a mobile barrier: Richmond Barrier on the upper Thames Estuary, 197
—, Tijuana, California, salt marsh community structure in, 39
—, upper Thames, response of an estuary to the closure of a mobile barrier, 197
Evans, D. W., Cutshall, N. H., Cross, F. A. and Wolfe, D. A., Manganese cycling in the Newport River estuary, North Carolina, 71
—, F., Seasonal density and production estimates of the commoner planktonic copepods of Northumberland coastal waters, 223
Exchange reactions between Fraser River sediment and seawater on dissolved Cu and Zn concentrations in the Strait of Georgia, 421
Experiment, current meters, drogues, temperature profiles, salinity, Massachusetts coast, dredge spoil, dispersion, 455
Farrington, J. W., Frew, N. M., Gschwend, P. M. and Tripp, B. W., Hydrocarbons in cores of northwestern Atlantic coastal and continental margin sediments, 793

Fatty acids, chromatography, sediments, mangroves, Queensland coast, bacteria lipids, 521
Fauna, Ireland coast, carbonate sediments, temperate zone, grain size, tidal currents, wave environments, algae, 609
Feeding habits, intertidal mud habitat, worms, Mollusca, crabs, England coast, birds, 497
Fish, Buzzards Bay, diversity index, estuarine fisheries, 665
—, chlorine, toxicity, bioassays, fish poisoning, 733
— communities, shore-zone, in an area of Long Island Sound affected by the thermal discharge of a nuclear power station, 355
— poisoning, fish, chlorine, toxicity, bioassays, 733
Fjord, Skjomen, north Norway, deep water renewal and associated processes in, 383
Fjords, flushing time, bottom waters, salinity variations, runoff, sill depth, currents, Scotland coast, 575
Fletcher, K. *see* Grieve, D., 415
Flushing time, bottom waters, salinity variations, runoff, sill depth, currents, Scotland coast, fjords, 575
Flux, abundances and distribution of nutrients and chlorophyll *a* in the New York Bight apex, 81
Fortier, J. *see* Ristich, S. S., 255
Fraser River estuary, British Columbia, interactions between zinc and suspended sediments in, 415

— — sediment and seawater, effect of exchange reactions on dissolved Cu and Zn concentrations in the Strait of Georgia, 421
FREW, N. M. *see* FARRINGTON, J. W., 793

GABLE, M. F. and CROKER, R. A., The salt marsh amphipod, *Gammarus palustris* Bousfield 1969 at the northern limit of its distribution. I. Ecology and life cycle, 123
GAMBLE, E. *see* GOLDBERG, E. D., 549
Gammarus palustris Bousfield 1969 at the northern limit of its distribution. I. Ecology and life cycle, 123
GARDNER, L. R. *see* SETTLEMEYER, J. L., 653
Georgia coast, plants/marsh, salt tolerance, interstitial water, salt marshes, 707
Geostrophic winds, surface winds, pressure gradients, Ekman layers, tidal variations, spectral density, Corpus Christi Bay, wind stress, 511
German coastal regions and North Sea, plutonium and americium activities in, 319
GOLDBERG, E. D., GAMBLE, E., GRIFFIN, J. J. and KOIDE, M., Pollution history of Narragansett Bay as recorded in its sediments, 549
GOSSELINK, J. G. *see* HAPP, G., 695
GOSS-CUSTARD, J. D., KAY, D. G. and BLINDELL, R. M., The density of migratory and overwintering redshank, *Tringa totanus* (L.) and curlew, *Numenius arquata* (L.), in relation to the density of their prey in south-east England, 497
Grain size composition, Wales coast, macrobenthos, zonation, biomass, species composition, intertidal sand habitat, beach material, 467
Grain size, tidal currents, wave environments, algae, fauna, Ireland coast, carbonate sediments, temperate zone, 609
GRANT, G. C., Seasonal distribution and abundance of the Chaetognatha in the lower Chesapeake Bay, 809
Gravelingen estuary, The Netherlands, production and biomass of zoobenthos, 1
GRIEVE, D. and FLETCHER, K., Interactions between zinc and suspended sediments in the Fraser River estuary, British Columbia, 415
GRIFFIN, J. J. *see* GOLBDERG, E. D., 549
GRIFFITHS, D. K. *see* PINGREE, R. D., 399
GRILL, E. V. *see* THOMAS, D. J., 421
Growth and mortality of *Panneus vannamei* in a Mexican coastal lagoon complex, 107
GSCHWEND, P. M. *see* FARRINGTON, J. W., 793
GUNATILAKA, A., Recent carbonate sedimentation in Connemara, Western Ireland, 609
GUNDERSON, K. *see* HANSON, R. B., 437

HANSON, R. B. and GUNDERSEN, K., Relationship between nitrogen fixation (acetylene reduction) and the C:N ratio in a polluted coral reef ecosystem, Kaneohe Bay, Hawaii, 437
HAPP, G., GOSSELINK, J. G. and DAY, J. W. Jr., The seasonal distribution of organic carbon in a Louisiana estuary, 695
HARVEY, J. G. and VINCENT, C. E., Observations of shear in near-bed currents in the southern North Sea, 715
HASS, L. W., The effect of the spring-neap tidal cycle on the vertical salinity structure of the James, York and Rappahannock Rivers, Virginia, U.S.A., 485
HATCHER, P. G. *see* NELSEN, T. A., 455
Hawaii coast, mercury, estuarine fauna, uptake, Polychaeta, Palaemonidae, seasonal variation, runoff, 643
—, relationship between nitrogen fixation and the C:N ratio in a polluted coral reef ecosystem, Kaneohe Bay, 437
HEAD, S. M. *see* BARNES, R. S. K., 771
Heat balance, heat budget, mud flats, inlets, solar radiation, New Zealand coast, 783
— budget, mud flats, inlets, solar radiation, New Zealand coast, heat balance, 783
HEATH, R. A., Heat balance in a small coastal inlet Pauatahanui Inlet, North Island, New Zealand, 783
Heavy metals, plutonium, pollution, chronology, runoff, sediment, accretion, corer/box, Narragansett Bay, 549
HESS, W. N. *see* NELSEN, T. A., 455

Hewitt, C. N. *see* Aston, S. R., 243
Hillman, R. E., Davis, N. W. and Wennemer, J., Abundance, diversity, and stability in shore-zone fish communities in an area of Long Island Sound affected by the thermal discharge of a nuclear power station, 355
Ho, C. L. and Barrett, B. B., Distribution of nutrients in Louisiana's coastal waters influenced by the Mississipi River, 173
Hoff, J. G. and Ibara, R. M., Factors affecting the seasonal abundance, composition and diversity of fishes in a southeastern New England estuary, 665
Hong Kong coast, phosphates, pollution, adsorption, desorption, sediments, clay, land reclamation, 631
Horizontal exchange/variations, sewage effluents, seasonal variations, Long Island, nutrient, nitrates, nitrites, ammonia, 531
Hudson River, benthic and epibenthic macroinvertebrates of, 255
Hydes, D. J. and Liss, P. S., The behaviour of dissolved aluminium in estuarine and coastal waters, 755
Hydrocarbons, chlorinated, in marine insects, 289
—, core samples, sediment cores, coasts, continental margins, Atlantic Ocean northwest, 793
Hydrodynamics, coastal, effect of, on the echinoderm distribution in the sublittoral of Oxwich Bay, Bristol Channel, 293

Ibara, R. M. *see* Hoff, J. G., 665
India coast, uranium, silicon, trace elements, desorption, estuaries, 743
Inlets, Nova Scotia coast, phytoplankton, carbon dioxide, assimilation, diurnal variations, annual variations, 679
—, Nova Scotia coast, phytoplankton, productivity, laboratory culture, upwelling, mixing, 567
—, solar radiation, New Zealand coast, heat balance, heat budget, mud flats, 783
Inorganic, organic matter, tidal cycles, annual variations, South Carolina coast, salt marshes, sediment budget, suspended solids, 653
Insects, marine, chlorinated hydrocarbons in, 289
Interactions between zinc and suspended sediments in the Fraser River estuary, British Columbia, 415
Interstitial water, salt marshes, Georgia coast, plants/marsh, salt tolerance, 707
Intertidal mud habitat, worms, Mollusca, crabs, England coast, birds, feeding habits, 497
— sand habitat, beach material, grain size composition, Wales coast, macrobenthos, zonation, biomass, species composition, 467
— — —, Ireland coast, Nematoda, ecology, meiobenthos, 685
— sediments at Port Valdez, Alaska, uptake and release of petroleum by, 429
Ireland coast, carbonate sediments, temperate zone, grain size, tidal currents, wave environments, algae, fauna, 609
— —, Nematoda, ecology, meiobenthos, intertidal sand habitat, 685

Jackson, K. S. *see* Johns, R. B., 521
James, I. D., A model of the annual cycle of temperature in a frontal region of the Celtic Sea, 339
Johns, R. B., Perry, G. J. and Jackson, K. S., Contribution of bacterial lipids to recent marine sediments, 521

Kaneohe Bay, Hawaii, relationship between nitrogen fixation and the C:N ratio in a polluted coral reef ecosystem, 437
Kautsky, H. *see* Murray, C. N., 319
Kay, D. G. *see* Goss-Custard, J. D., 497
Koide, M. *see* Goldberg, E. D., 549
Krishnaswami, S. *see* Borole, D. V., 743
Kullenberg, G., Entrainment velocity in natural stratified vertical shear flow, 329

Laboratory culture, power stations/thermal, California coast, Echiuroidea, embryos, temperature tolerance, developmental stages, 445
— —, upwelling, mixing, inlets, Nova Scotia coast, phytoplankton, productivity, 567

Lagoon complex, Mexican coastal, growth and mortality of *Penaeus vannamei* in, 107
Land reclamation, Hong Kong coast, phosphates, pollution adsorption, desorption, sediments, clay, 631
LAWRENCE, S. A. *see* CAPUZZO, J. M., 733
LIBNI, M. *see* CAPUZZO, J. M., 733
Lipids, fatty acids, chromatography, sediments, mangroves, Queensland coast, bacteria, 521
LISS, P. S. *see* HYDES, D. J., 755
LITCHFIELD, C. D. *see* NAKAS, J. P., 143
LIU, P. L.-F. *see* MEI, C. C., 25
LOENG, H. *see* SKRESLET, S., 383
Long Island, nutrient, nitrates, nitrites, ammonia, horizontal exchange/variations, sewage effluents, seasonal variations, 531
— — Sound, shore-zone fish communities in an area affected by the thermal discharge of a nuclear power station, 355
Louisiana coast, seasonal variations, dissolved organic compounds, carbon, chlorophyll distribution, estuarine coasts, 695
Louisiana's coastal waters, distribution of nutrients, as influenced by the Mississipi River, 173
Lower Hudson estuary, environmental regulation of phytoplankton productivity in, 157
LUOMA, S. N., The dynamics of biologically available mercury in a small estuary, 643

Macrobenthos, zonation, biomass, species composition, intertidal sand habitat, beach material, grain size composition, Wales coast, 467
Macrofauna communities, distribution of sublittoral, in the Bristol Channel in relation to the substrate, 267
Macroinvertebrates, benthic and epibenthic, of the Hudson River. I. Distribution, natural history and community structure, 255
MALONE, T. C., Environmental regulation of phytoplankton productivity in the Lower Hudson estuary, 157
Manganese cycling in the Newport River estuary, North Carolina, 71
Mangroves, Queensland coast, bacteria, lipids, fatty acids, chromatography, sediments, 521
Marine insects, chlorinated hydrocarbons in, 289
Massachusetts coast, dredge spoil, dispersion, experiment, current meters, drogues, temperature profiles, salinity, 455
Maturation, salinity, temperature, Chesapeake Bay, Chaetognatha, abundance, species composition, seasonal variations, 809
MAYER, D. A. *see* NELSEN, T. A., 455
MEI, C. C. and LIU, P. L.-F., Effects of topography on the circulation in and near the surf-zone—linear theory, 25
Meiobenthos, beach organisms, colonization, apparatus, 825
—, intertidal sand habitat, Ireland coast, Nematoda, ecology, 685
Mercury, estuarine fauna, uptake, Polychaeta, Palaemonidae, seasonal variation, runoff, Hawaii coast, 643
Mexican coastal lagoon complex, growth and mortality of *Penaeus vannamei* in, 107
Mid-tidal rock pools at Penrhyn Bay, North Wales, *Modiolus modiolus* (L.) in, 215
— shore at Penrhyn Bay, North Wales, stability of, and a note on the peat beds at Rhos-on-Sea, 209
Mississipi River, distribution of nutrients in Louisiana's coastal waters as influenced by, 173
Mixing, inlets, Nova Scotia coast, phytoplankton, productivity, laboratory culture, upwelling, 567
— processes, salinity, tidal cycles, tidal range, tidal heights, Chesapeake Bay, estuarine circulation, stratification, 485
Model of the annual cycle of temperature in a frontal region of the Celtic Sea, 339
Modiolus modiolus (L.) in small mid-tidal rock pools at Penrhyn Bay, North Wales, 215
Mollusca, crabs, England coast, birds, feeding habits, intertidal mud habitat, worms, 497
Morphology, estuarine habitat, Polychaeta, taxonomy, population variations, 771
Mortality and growth of *Penaeus vannamei* in a Mexican coastal lagoon complex, 107
Mud flats, inlets, solar radiation, New Zealand coast, heat balance, heat budget, 783
MURRAY, C. N. and KAUTSKY, H., Plutonium and americium activities in the North Sea and German coastal regions, 319

Nakas, J. P. and Litchfield, C. D., Application of the diacetyl-monoxine thiosemicarbazide method to the analysis of urea in estuarine sediments, 143
Natural history, distribution and community structure of the benthic and epibenthic macroinvertebrates of the Hudson River, 255
— stratified vertical shear flow, entrainment velocity in, 329
Narragansett Bay, heavy metals, plutonium, pollution, chronology, runoff, sediment, accretion, corer/box, 549
Nelsen, T. A., Mayer, D. A., Hatcher, P. G. and Hess, W. N., New England offshore mining environmental study: the character of particle dispersion and water movement in Massachusetts Bay and adjacent waters, 455
Nematoda, ecology, meiobenthos, intertidal sand habitat, Ireland coast, 685
Nestler, J., Interstitial salinity as a cause of ecophenic variation in *Spartina alterniflora*, 707
Netherlands, Gravelingen estuary, production and biomass of zoobenthos, 1
New York Bight apex, abundances, distribution and flux of nutrients and chlorophyll *a*, 81
— — —, sediment patterns, sidescan sonar, sand waves, sewage disposal, dumping, annual variations, 597
New Zealand coast, heat balance, heat budget, mud flats, inlets, solar radiation, 783
Newport River estuary, North Carolina, manganese cycling in, 71
Nitrates, nitrites, ammonia, horizontal exchange/variations, sewage effluents, seasonal variations, Long Island, 531
Nitrites, ammonia, horizontal exchange/variations, sewage effluents, seasonal variations, Long Island, nutrient, nitrates, 531
Nitrogen fixation (acetylene reduction) and the C:N ratio in a polluted coral reef ecosystem, Kaneohe Bay, Hawaii, 437
North Carolina, Newport River estuary, manganese cycling in, 71
— Sea and German coastal regions, plutonium and americium activities in, 319
— —, drag coefficients, shear, tidal currents, 715
— Wales, Penrhyn Bay, *Modiolus modiolus* (L.) in mid-tidal rock pools at, 215
— —, Penrhyn Bay, stability of mid-tidal shore and a note on the peat beds at Rhos-on-Sea, 209
Northumberland coastal waters, seasonal density and distribution estimates of the commoner planktonic copepods of, 223
Norway, deep water renewal and associated processes in Skjomen, a fjord in, 383
Nova Scotia coast, phytoplankton, carbon dioxide, assimilation, diurnal variations, annual variations, inlets, 679
— — —, —, productivity, laboratory culture, upwelling, mixing, inlets, 567
Nuclear power station, shore-zone fish communities in an area of Long Island Sound affected by the thermal discharge of, 355
Nutrient, nitrates, nitrites, ammonia, horizontal exchange/variations, sewage effluents, seasonal variations, Long Island, 531
Nutrients and chlorophyll *a*, abundances, distribution and flux, in the New York Bight apex, 81
—, distribution of, in Louisiana's coastal waters influenced by the Mississipi River, 173

O'Connors, H. B. *see* Duedall, I. W., 81
Organic matter, tidal cycles, annual variations, South Carolina coast, salt marshes, sediment budget, suspended solids, inorganic, 653
Oxwich Bay, Bristol Channel, effect of coastal hydrodynamics on the echinoderm distribution in the sublittoral of, 293

Palaemonidae, seasonal variation, runoff, Hawaii coast, mercury, estuarine fauna, uptake, Polychaeta, 643
Penaeus vannamei, growth and mortality in a Mexican coastal lagoon complex, 107
Parker, J. H. *see* Duedall, I. W., 81
Paul, A. J. *see* Shaw, D. G., 429
Peat beds at Rhos-on-Sea and stability of the mid-tidal shore at Penrhyn Bay, North Wales, 209
Penrhyn Bay, North Wales, *Modiolus modiolus* (L.) in mid-tidal rock pools at, 215
— —, — —, stability of mid-tidal shore, and a note on the peat beds at Rhos-on-Sea, 209
Permenter, R. W. *see* Stubblefield, W. L., 597
Perry, G. J. *see* Johns, R. B., 521

Pesticides, chlorine-containing, and polychlorinated biphenyls in British coastal waters, 55
Petroleum, uptake and release of, by intertidal sediments at Port Valdez, Alaska, 429
Phosphate, pollution, adsorption, desorption, sediments, clay, land reclamation, Hong Kong coast, 631
Phosphorous and carbon distributions in a polluted coastal environment, 243
Phytoplankton, carbon dioxide, assimilation, diurnal variations, annual variations, inlets, Nova Scotia coast, 679
— productivity, environmental regulation of, in the Lower Hudson estuary, 157
—, —, laboratory culture, upswelling, mixing, inlets, Nova Scotia coast, 567
PINGREE, R. D. and GRIFFITHS, D. K., The bottom mixed layer on the continental shelf, 399
PINLESS, S. J. *see* BOWEN, A. J., 197
Planktonic copepods of Northumberland coastal waters, seasonal density and production estimates of, 223
Plants/marsh, salt tolerance, interstitial water, salt marshes, Georgia coast, 707
PLATT, H. M., Ecology of free-living marine nematodes from an intertidal sandflat in Strangford Lough, Northern Ireland, 685
—, T. *see* TAGUCHI, S., 679
—, T., SUBBA RAO, D. V. and DENMAN, K. L., Quantitative stimulation of phytoplankton productivity by deep water admixture in a coastal inlet, 567
Plutonium and americium activities in the North Sea and German coastal regions, 319
—, pollution, chronology, runoff, sediment, accretion, corer/box, Narragansett Bay, heavy metals, 549
Polluted coastal environment, phosphorous and carbon distributions in, 243
— coral reef ecosystem, Kaneohe Bay, Hawaii, relationship between nitrogen fixation (acetylene reduction) and the C:N ratio in, 437
Pollution, adsorption, desorption, sediments, clay, land reclamation, Hong Kong coast, phosphates, 631
—, chronology, runoff, sediment, accretion, corer/box, Narragansett Bay, heavy metals, plutonium, 549
Polychaeta, Palaemonidae, seasonal variation, runoff, Hawaii coast, mercury, estuarine fauna, uptake, 643
—, taxonomy, population variations, morphology, estuarine habitat, 771
Polychlorinated biphenyls and chlorine-containing pesticides in British coastal waters, 55
Population variations, morphology, estuarine habitat, Polychaeta, taxonomy, 771
Port Valdez, Alaska, uptake and release of petroleum by intertidal sediments at, 429
Power station, nuclear, shore-zone fish communities in an area of Long Island Sound affected by the thermal discharge of, 355
— stations/thermal, California coast, Echiuroidea, embryos, temperature tolerance, developmental stages, laboratory culture, 445
Production, biomass and, of zoobenthos in the Gravelingen estuary, The Netherlands, 1
— estimates and seasonal density of the commoner planktonic copepods of Northumberland coastal waters, 223
Productivity, laboratory culture, upwelling, mixing, inlets, Nova Scotia coast, phytoplankton, 567
—, phytoplankton, environmental regulation of in the Lower Hudson estuary, 157
Pressure gradients, Ekman layers, tidal variations, spectral density, Corpus Christi Bay, wind stress, geostrophic winds, surface winds, 511

Queensland coast, bacteria, lipids, fatty acids, chromatography, sediments, mangroves, 521

Rhos-on-Sea, note on peat beds at, and stability of mid-tidal shore at Penrhyn Bay, North Wales, 209
Richmond Barrier on the upper Thames estuary: response of an estuary to the closure of a mobile barrier, 197
RILEY, J. P. *see* DAWSON, R., 55
RISTICH, S. S., CRANDALL, M. and FORTIER, J., Benthic and epibenthic macroinvertebrates of the Hudson River. I. Distribution, natural history and community structure, 255
ROBBINS, A. S. *see* DUEDALL, I. W., 81
Rock pools, mid-tidal, at Penrhyn Bay, North Wales, *Modiolus modiolus* (L.) in, 215

Runoff, Hawaii coast, mercury, estuarine fauna, uptake, Polychaeta, Palaemonidae, seasonal variation, 643
—, sediment, accretion, corer/box, Narragansett Bay, heavy metals, plutonium, pollution, chronology, 549
—, sill depth, currents, Scotland coast, fjords, flushing time, bottom waters, salinity variations, 575

Salinity, Massachusetts coast, dredge spoil, dispersion, experiment, current meters, drogues, temperature profiles, 455
—, temperature, Chesapeake Bay, Chaetognatha, abundance, species composition, seasonal variations, maturation, 809
—, tidal cycles, tidal range, tidal heights, Chesapeake Bay, estuarine circulation, stratification, mixing processes, 485
— variations, runoff, sill depth, currents, Scotland coast, fjords, flushing time, bottom waters, 575
Salt marsh amphipod, *Gammarus palustris* Bousfield 1969 at the northern limit of its distribution. I. Ecology and life cycle, 123
— — community structure in the Tijuana estuary, California, 39
Salt marshes, Georgia coast, plants/marsh, salt tolerance, interstitial water, 707
— —, sediment budget, suspended solids, inorganic, organic matter, tidal cycles, annual variations, South Carolina coast, 653
— tolerance, interstitial water, salt marshes, Georgia coast, plants/marsh, 707
Scotland coast, fjords, flushing time, bottom waters, salinity variations, runoff, sill depth, currents, 575
Seasonal density and production estimates of the commoner planktonic copepods of Northumberland coastal waters, 223
— variations, dissolved organic compounds, carbon, chlorophyll distribution, estuarine coasts, Louisiana coast, 695
— —, Long Island, nutrient, nitrates, nitrites, ammonia, horizontal exchange/variations, sewage effluents, 531
— —, maturation, salinity, temperature, Chesapeake Bay, Chaetognatha, abundance, species composition, 809
— —, runoff, Hawaii coast, mercury, estuarine fauna, uptake, Polychaeta, Palaemonidae, 643
Seawater and Fraser River sediment, effect of exchange interactions between, on Cu and Zn concentrations in the Strait of Georgia, 421
Sediment budget, suspended solids, inorganic, organic matter, tidal cycles, annual variations, South Carolina coast, salt marshes, 653
— cores, coasts, continental margins, Atlantic Ocean northwest, hydrocarbons, core samples, 793
—, Fraser River, and seawater, effect of exchange reactions between, on dissolved Cu and Zn concentrations in the Strait of Georgia, 421
— patterns, sidescan sonar, sand waves, sewage disposal, dumping, annual variations, New York Bight, 597
Sediments, accretion, corer/box, Narragansett Bay, heavy metals, plutonium, pollution, chronology, runoff, 549
—, clay, land reclamation, Hong Kong coast, phosphates, pollution, adsorption, desorption, 631
—, estuarine, method for the analysis of urea in, 143
—, intertidal, at Port Valdez, Alaska, uptake and release of petroleum by, 429
—, mangroves, Queensland coast, bacteria, fatty acids, chromatography, 521
—, suspended, and zinc, interactions between, in the Fraser River estuary, British Columbia, 415
Settlemeyer, J. L. and Gardner, L. R., Suspended sediment flux through a salt marsh drainage basin, 653
Sewage disposal, dumping, annual variations, New York Bight, sediment patterns, sidescan sonar, sand waves, 597
— effluents, seasonal variations, Long Island, nutrient, nitrates, nitrites, ammonia, horizontal exchange/variations, 531
Shaw, D. G., Cheek, L. M. and Paul, A. J., Uptake and release of petroleum by intertidal sediments at Port Valdez, Alaska, 429

Shear, tidal currents, North Sea, drag coefficients, 715
Shore, mid-tidal, at Penrhyn Bay, North Wales, stability of, 209
Shore-zone fish communities in an area of Long Island Sound affected by the thermal discharge of a nuclear power station, 355
Sidescan sonar, sand waves, sewage disposal, dumping, annual variations, New York Bight, sediment patterns, 597
Silicon, trace elements, desorption, estuaries, India coast, uranium, 743
Sill depth, currents, Scotland coast, fjords, flushing time, bottom waters, salinity variations, runoff, 575
Skjomen, a fjord in north Norway, deep water renewal and associated processes in, 383
SKRESLET, S. and LOENG, H., Deep water renewal and associated processes in Skjomen, a fjord in North Norway, 383
SMITH, N. P., Meteorological and tidal exchanges between Corpus Christi Bay, Texas and the north-western Gulf of Mexico, 511
Solar radiation, New Zealand coast, heat balance, heat budget, mud flats, inlets, 783
Solubility, estuarine habitat, coastal waters, British Isles, aluminium, adsorption, 755
SOMAYAJULU, B. L. K. *see* BOROLE, D. V., 743
South Carolina coast, salt marshes, sediment budget, suspended solids, inorganic, organic matter, tidal cycles, annual variations, 653
Species composition, intertidal sand habitat, beach material, grain size composition, Wales coast, macrobenthos, zonation, biomass, 467
— —, seasonal variations, maturation, salinity, temperature, Chesapeake Bay, Chaetognatha, abundance, 809
Spectral density, Corpus Christi Bay, wind stress, geostrophic winds, surface winds, pressure gradients, Ekman layers, tidal variations, 511
Stability, abundance and diversity in shore-zone fish communities in an area of Long Island Sound affected by the thermal discharge of a nuclear power station, 355
— during many years of the mid-tidal shore at Penrhyn Bay, North Wales and a note on the peat beds at Rhos-on-Sea, 209
STIRLING, H. P. and WORMALD, A. P., Phosphate/sediment interaction in Tolo and Long Harbours, Hong Kong and its role in estuarine phosphorous availability, 631
Strait of Georgia, effect of exchange reactions between Fraser River sediment and seawater on dissolved Cu and Zn concentrations in, 421
Stratification, mixing processes, salinity, tidal cycles, tidal range, tidal heights, Chesapeake Bay, estuarine circulation, 485
STUBBLEFIELD, W. L., PERMENTER, R. W. and SWIFT, D. J. P., Time and space variation in the surficial sediments of the New York Bight apex, 597
SUBBA RAO, D. V. *see* PLATT, T., 567
Sublittoral macrofauna communities in the Bristol Channel in relation to the substrate, 267
Substrate, distribution of sublittoral macrofauna communities in the Bristol Channel in relation to, 267
Surface winds, pressure gradients, Ekman layers, tidal variations, spectral density, Corpus Christi Bay, wind stress, geostrophic winds, 511
Surf-zone, effects of topography on circulation in and near, 25
Suspended sediments and zinc, interactions between, in the Fraser River estuary, British Columbia, 415
— solids, inorganic, organic matter, tidal cycles, annual variations, South Carolina coast, salt marshes, sediment budget, 653
SWIFT, D. J. P. *see* STUBBLEFIELD, W. L., 597

TAGUCHI, S. and PLATT, T., Assimilation of $^{14}CO_2$ in the dark compared to phytoplankton production in a small coastal inlet, 679
Taxonomy, population variations, morphology, estuarine habitat, Polychaeta, 771
Temperate zone, grain size, tidal currents, wave environments, algae, fauna, Ireland coast, carbonate sediments, 609
Temperature, Chesapeake Bay, Chaetognatha, abundance, species composition, seasonal variations, salinity, 809
—, model of the annual cycle of, in a frontal region of the Celtic Sea, 339

— profiles, salinity, Massachusetts coast, dredge spoil dispersion, experiment, current meters, drogues, 455
— tolerance, developmental stages, laboratory culture, power stations/thermal, California coast, Echiuroidea, embryos, 445
Thermal discharge of a nuclear power station, shore-zone fish communities in an area of Long Island Sound affected by, 355
THOMAS, D. J. and GRILL, E. V., The effect of exchange reactions between Fraser River sediment and seawater on dissolved Cu and Zn concentrations in the Strait of Georgia, 421
Tidal currents, North Sea, drag coefficients, shear, 715
— —, wave environments, algae, fauna, Ireland coast, carbonate sediments, temperate zone, grain size, 609
— cycles, annual variations, South Carolina coast, salt marshes, sediment budget, suspended solids, inorganic, organic matter, 653
— —, tidal range, tidal heights, Chesapeake Bay, estuarine circulation, stratification, mixing processes, salinity, 485
— heights, Chesapeake Bay, estuarine circulation, stratification, mixing processes, salinity, tidal cycles, tidal heights, 485
— range, tidal heights, Chesapeake Bay, estuarine circulation, stratification, mixing processes, salinity, tidal cycles, 485
— variations, spectral density, Corpus Christi Bay, wind stress, geostrophic winds, surface winds, pressure gradients, Ekman layers, 511
Tijuana estuary, California, salt marsh community structure in, 39
Toxicity, bioassays, fish poisoning, fish, chlorine, 733
Trace elements, desorption, estuaries, India coast, uranium, silicon, 743
TRIPP, B. W. *see* FARRINGTON, J. W., 793
TYLER, P. A. and BANNER, F. T., The effect of coastal hydrodynamics on the echinoderm distribution of Oxwich Bay, Bristol Channel, 293

Uranium, silicon, trace elements, desorption, estuaries, India coast, 743
Urea in estuarine sediments, method for the analysis of, 143
Uptake, Polychaeta, Palaemonidae, seasonal variation, runoff, Hawaii coast, mercury, estuarine fauna, 643
Upwelling in the Benguela Current, volumetric considerations of, 135
—, mixing, inlets, Nova Scotia coast, phytoplankton, productivity, laboratory culture, 567

Vertical shear flow, natural stratified, entrainment velocity in, 329
VINCENT, C. E. *see* HARVEY, J. G., 715

Wales coast, macrobenthos, zonation, biomass, species composition, intertidal sand habitat, beach material, grain size composition, 467
WARWICK, R. M. and DAVIES, J. R., The distribution of sublittoral macrofauna communities in the Bristol Channel in relation to the substrate, 267
Wave environments, algae, fauna, Ireland coast, carbonate sediments, temperate zone, grain size, tidal currents, 609
WENNEMER, J. *see* HILLMAN, R. E., 355
WILSON, D. P., *Modiolus modiolus* (L.) in small mid-tidal rock pools, at Penrhyn Bay, North Wales, 215
—, —, The stability during many years of the mid-tidal shore at Penrhyn Bay, North Wales, 209
—, R. E. *see* DUEDALL, I. W., 81
Wind stress, geostrophic winds, surface winds, pressure gradients, Ekman layers, tidal variations, spectral density, Corpus Christi Bay, 511
WITHERS, R. G., Soft-shore macrobenthos along the south-west coast of Wales, 467
WOLFE, D. A. *see* EVANS, D. W., 71
WOLFF, W. J. and DE WOLF, L., Biomass and production of zoobenthos in the Gravelingen estuary, The Netherlands, 1
WORMALD, A. P. *see* STIRLING, H. P., 631
Worms, Mollusca, crabs, England coast, birds, feeding habits, intertidal mud habitat, 497